

## 附錄 C 申請者自我宣告之檢驗項目

檢驗項目	測試參考 GSM 11.10-1 ETS 300 607-1	測試結果 符合與否 (Yes/No)	備註
<b>Transmitter</b> <b>發射機</b>			
Intermodulation attenuation 互調衰減	13.5		
<b>Receiver</b> <b>接收機</b>			
Bad frame indication 劣訊框指示	14.1		
Reference sensitivity 參考靈敏度	14.2		
Usable receiver input level range 可用接收機輸入位準範圍	14.3		
Co-channel rejection 同頻道排斥	14.4		
Adjacent channel rejection 鄰頻道排斥	14.5		
Intermodulation rejection 互調排斥	14.6		
Blocking and spurious response 阻塞及混附波響應	14.7		
AM suppression AM 抑制	14.8		
Paging performance at high input levels 高輸入位準呼叫效能	14.9		

Other tests of the layer 1 第 1 層之其他測試			
Timing advance and absolute delay 時間超前及絕對延遲	15		
Reception time tracking speed 接收時間追蹤速率	16		
Access times during handover 交遞間之擷取時間	17		
Temporary reception gaps 暫態接收間隙	18		
Channel release after unrecoverable errors 無法恢復失誤後之頻道釋出	19		
Cell selection and reselection 細胞選取及重選	20		
Received signal measurements 接收信號量測	21		
Transmit power control timing and confirmation	22		

發射功率控制定時及確認 Single frequency reference 單頻參考	23		
---	----	--	--

Tests of the layer 2 第 2 层测试			
Initialization 初始化			
Normal Initialization 標稱初始化	25.2.1.1.1		
Loss of UA frame UA 訊框損失	25.2.1.1.2.1		
UA frame with different information field 不同訊息領域之 UA 訊框	25.2.1.1.2.2		
Information frame and supervisory frames in response to an SABM frame 回應 SABM 訊框之信息訊框及監視訊框	25.2.1.1.2.3		
Initialization denial 初始化之拒絕	25.2.1.1.3		
Total initialization failure 全部初始化之失敗	25.2.1.1.4		
Normal initialization without contention resolution 標稱初始化不含爭議部份	25.2.1.2		
Initialization failure 初始化失敗	25.2.1.2.2		
Normal information transfer 標稱訊息移轉			
Sequence counting and 1 frame acknowledges 連續計次及訊框 1 之接受	25.2.2.1		
Receipt of an 1 frame in the timer recovery state 在計時器恢復狀態下訊框 1 的接收	25.2.2.2		
Segmentation and concatenation 區隔與連結	25.2.2.3		
Normal layer 2 disconnection 標稱第 2 層斷訊	25.2.3		
Test of link failure 連線失敗測試			
1 frame loss (MS to SS) 訊框 1 的遺失(MS 至 SS)	25.2.4.1		
RR response frame loss (MS to SS) RR 響應訊框的遺失(MS 至 SS)	25.2.4.3		
Test of frame transmission with incorrect C/R values 不正確 C/R 值訊框傳輸測試			
1 frame with C bit set to zero 訊框 1 含 C 位元設定為零	25.2.5.1		
SABM frame with C bit set to zero	25.2.5.2		

SABM 訊框含 C 位元設定為零			
<b>Test of errors in the control field 在控制範圍內之失誤測試</b>			
N(S) sequence error N(S)連續失誤	25.2.6.1		
N(R)sequence error N(R)連續失誤	25.2.6.2		
Improper F bit 不適當 F 位元	25.2.6.3		
Test on receipt of Invalid frames 失效訊框接收之測試	25.2.7		

<b>Tests of the layer 3 第 3 層測試</b>			
<b>Initial Tests 初始測試</b>			
Channel request / initial time 頻道請求/初始時間	26.2.1.1		
Channel request / repetition time 頻道請求/重複時間	26.2.1.2.1		
Channel request / random reference 頻道請求/隨機參考	26.2.1.3		
IMSI detach and IMSI attach IMSI 不附加及附加	26.2.2		
Sequenced MM / CM message transfer 連續 MM/CM 訊息移轉	26.2.3		
Establishment cause 建立原因	26.2.4		
<b>Test of MS functions in idle mode MS 功能在空閒模式之測試</b>			
MS indication of available PLMNs 有效之 PLMNs 之 MS 指示	26.3.2		
MS will send only if BSS is “on air” MS 將發送僅於 BSS 是“正播途中”	26.3.3		
Manual mode of PLMN selection PLMN 選取之手動模式	26.3.4		
<b>Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions 未知、未見、失誤信令數據及平行交易之處理</b>			
TI and skip indicator / RR / Idle Mode TI 及跳過省略指示/RR/空閒模式	26.5.2.1.1		
TI and skip indicator / RR / RR-Connection established TI 及跳過省略指示/RR/RR-連結建立	26.5.2.1.2		
TI and skip indicator / MM TI 及跳過省略指示/MM	26.5.2.2		
TI and skip indicator / CC TI 及跳過省略指示/CC	26.5.2.3		
Undefined or unexpected message type /	26.5.3.1		

undefined message type / CC 未定義或不期望訊息型式/未定義訊息型式/CC			
Undefined or unexpected message type / undefined message type / MM 未定義或不期望訊息型式/未定義訊息型式/MM	26.5.3.2		
Undefined or unexpected message type / undefined message type / RR 未定義或不期望訊息型式/未定義訊息型式/RR	26.5.3.3		
Undefined or unexpected message type / unexpected message type / CC 未定義或不期望訊息型式/不期望訊息型式/CC	26.5.3.4		
Unforeseen information elements in the non-imperative message part / duplicated information 未見訊息元件在不適當之信息部份/複製訊息	26.5.4.1		
Non-semantical mandatory IE errors / RR / missing mandatory IE error / special case 非語意必備 IE 失誤/RR/失蹤必備 IE 失誤/一般狀況	26.5.5.1.1.1		
Non-semantical mandatory IE errors / RR / missing mandatory IE error / general case 非語意必備 IE 失誤/RR/失蹤必備 IE 失誤/一般狀況	26.5.5.1.1.2		
Non-semantical mandatory IE errors / RR / comprehension required 非語意必備 IE 失誤/RR/失蹤必備 IE 失誤/綜合性需求	26.5.5.1.2		
Non-semantical mandatory IE errors / MM / syntactically incorrect mandatory IE 非語意必備 IE 失誤/MM/綜合非正確必備 IE	26.5.5.2.1		
Non-semantical mandatory IE errors / MM / comprehension required 非語意必備 IE 失誤/MM/綜合性需求	26.5.5.2.3		
Non-semantical mandatory IE errors / CC / missing mandatory IE / disconnect message 非語意必備 IE 失誤/CC/失蹤必備 IE/斷訊訊息	26.5.5.3.1.1		
Non-semantical mandatory IE errors / CC / missing mandatory IE / general case 非語意必備 IE 失誤/CC/失蹤必備 IE/一般狀況	26.5.5.3.1.2		
Non-semantical mandatory IE errors / CC / comprehension required 非語意必備 IE 失誤/CC/綜合性需求	26.5.5.3.2		
Unknown IE, comprehension not required/ MM / IE unknown in the message 未知 IE，綜合性不需求/M/訊息中 IE 未知	26.5.6.1.2		
Unknown information elements in the non-imperative message part / CC / Call establishment 在非適當訊息中未知 IE 信息元件/通話建立	26.5.6.2.1		
Unknown information elements in the non-imperative message part / CC / release 在非適當訊息中未知 IE 信息元件/釋出	26.5.6.2.3		

Unknown information elements in the non-imperative message part / CC / release complete 在非適當訊息中未知 IE 信息元件/完全釋出	26.5.6.2.4		
Spare bits / RR / paging channel 備份位元/RR/呼叫頻道	26.5.7.1.1		
Spare bits / RR / BCCH 備份位元/RR/BCCH	26.5.7.1.2		
Spare bits / RR / AGCH 備份位元/RR/AGCH	26.5.7.1.3		
Spare bits / RR / Connected Mode 備份位元/RR/連接模式	26.5.7.1.4		
Spare bits / MM 備份位元/MM	26.5.7.2		
Spare bits / CC 備份位元/CC	26.5.7.3		

**Test of the elementary procedures for radio resource management**  
**無線資源管理基本程序測試**

Immediate assignment / SDCCH or TCH assignment 立即指配/SDCCH 或 TCH 指配	26.6.1.1		
Immediate assignment / extended assignment 立即指配/延伸指配	26.6.1.2		
Immediate assignment / assignment rejection 立即指配/指配拒絕	26.6.1.3		
Immediate assignment / Ignore assignment 立即指配/忽略指配	26.6.1.4		
Immediate assignment after immediate assignment reject 立即指配拒絕後之立即指配	26.6.1.5		
Paging / normal / type 1 呼叫/標稱/型式 1	26.6.2.1.1		
Paging / normal / type 2 呼叫/標稱/型式 2	26.6.2.1.2		
Paging / normal / type 3 呼叫/標稱/型式 3	26.6.2.1.3		
Paging / extended 呼叫/延伸	26.6.2.2		
Paging / reorganization / procedure 1 呼叫/確認/步驟 1	26.6.2.3.1		
Paging / reorganization / procedure 2 呼叫/確認/步驟 2	26.6.2.3.2		
Paging / multislot CCCH 呼叫/多時槽 CCCH	26.6.2.5		
Measurement / no neighbours 量測/無相鄰細胞	26.6.3.1		
Measurement / all neighbours present 量測/所有相鄰細胞出現	26.6.3.2		
Measurement / barred cells and non-permitted NCCs 量測/禁發細胞及非許可 NCCs	26.6.3.3		

Measurement / DTX 量測/DTX	26.6.3.4		
Measurement / Frequency Formats 量測/頻率格式	26.6.3.5		
Measurement / multiband environment 量測/多頻環境	26.6.3.6		
Dedicated assignment / successful case 專用指配/成功狀態	26.6.4.1		
Dedicated assignment / failure / failure during active state 專用指配/失敗/執行狀態中失敗	26.6.4.2.1		
Dedicated assignment / failure / general case 專用指配/失敗/一般狀況	26.6.4.2.2		
Handover / successful / active call / non-synchronized 交遞/成功/通話中/非同步	26.6.5.1		
Handover / successful / call under establishment / non-synchronized 交遞/成功/建立通話中/非同步	26.6.5.2		
Handover/ successful / active call / finely synchronized 交遞/成功/通話中/完全同步	26.6.5.3		
Handover / successful / call under establishment / finely synchronized 交遞/成功/建立通話中/完全同步	26.6.5.4		
Handover / successful / active call / pre-synchronized / Timing Advance IE not included 交遞/成功/通話中/預同步/時間超前不含 IE	26.6.5.5.1		
Handover / successful / call being established / pre-synchronized / timing advance IE is included / reporting of observed time difference requested. 交遞/成功/通話中/預同步/時間超前含 IE/需要 時間差異觀察之報告	26.6.5.5.2		
Handover / successful / active call / pseudo synchronized 交遞/成功/通話中/偽同步	26.6.5.6		
Handover / successful / active call / non-synchronized / reporting of observed time difference requested 交遞/成功/通話中/非同步/時間超前含 IE/需要 時間差異觀察之報告	26.6.5.7		
Handover / layer 3 failure 交遞/第3層失敗	26.6.5.8		
Handover / layer 1 failure 交遞/第1層失敗	26.6.5.9		
Frequency redefinition 頻率重新定義	26.6.6.1		
Test of the channel mode modify procedure / full rate	26.6.7.1		

頻道模式修正步驟之測試/全速率 Test of the channel mode modify procedure / half rate			
頻道模式修正步驟之測試/半速率 Ciphering mode / start ciphering 保密模式/開始保密	26.6.7.2		
Ciphering mode / no ciphering 保密模式/禁止保密	26.6.8.1		
Ciphering mode / old cipher key 保密模式/舊保密鍵	26.6.8.2		
Ciphering mode / change of mode, algorithm and key 保密模式/模式變更，計算法則及鍵	26.6.8.3		
Ciphering mode / IMEISV request 保密模式/IMEISV需求	26.6.8.4		
Classmark change Classmark 變更	26.6.8.5		
Classmark interrogation Classmark 疑問	26.6.11.1		
Channel release / SDCCH 頻道釋出/ / SDCCH	26.6.11.2		
Channel release / SDCCH - no L2 ACK 頻道釋出/ SDCCH - no L2 ACK	26.6.12.1		
Channel release / TCH-F 頻道釋出/ / TCH-F	26.6.12.2		
Channel release / TCH-F - no L2 ACK 頻道釋出/ TCH-F - no L2 ACK	26.6.12.3		
Dedicated assignment with starting time / successful case / time not elapsed 專用頻道指配含起始時間/成功狀況/時間暫停	26.6.12.4		
Dedicated assignment with starting time / successful case / time elapsed 專用頻道指配含起始時間/成功狀況/時間進行	26.6.13.1		
Dedicated assignment with starting time and frequency redefinition / failure case / time not elapsed 專用頻道指配含起始時間及頻率重新定義/失敗狀況/時間暫停	26.6.13.2		
Dedicated assignment with starting time and frequency redefinition / failure case / time elapsed 專用頻道指配含起始時間及頻率重新定義/失敗狀況/時間進行	26.6.13.3		
Handover with starting time / successful case / time not elapsed 交遞含起始時間/成功狀況/時間暫停	26.6.13.4		
Handover with starting time / successful case / time elapsed 交遞含起始時間/成功狀況/時間進行	26.6.13.5		
Handover with starting time and frequency redefinition / failure case / time not elapsed 交遞含起始時間及頻率重新定義/失敗狀況/時間暫停	26.6.13.6		
Handover with starting time and frequency redefinition / failure case / time not elapsed 交遞含起始時間及頻率重新定義/失敗狀況/時間暫停	26.6.13.7		

交遞含起始時間及頻率重定義/失敗狀況/時間暫停			
Handover with starting time and frequency redefinition / failure case / time elapsed 交遞含起始時間及頻率重新定義/失敗狀況/時間進行	26.6.13.8		
Immediate assignment with starting time / successful case / time not elapsed 立即指配含起始時間/成功狀況/時間暫停	26.6.13.9		
Immediate assignment with starting time / successful case / time elapsed 立即指配含起始時間/成功狀況/時間進行	26.6.13.10		
<b>Elementary procedures of mobility management</b> <b>行動管理的基本程序</b>			
TMSI reallocation TMSI 重新指配	26.7.1		
Authentication accepted 辨識接受	26.7.2.1		
Authentication rejected 辨識拒絕	26.7.2.2		
General Identification 一般確認	26.7.3.1		
Location updating / accepted 位置更新/接受	26.7.4.1		
Location updating / rejected / IMSI invalid 位置更新/拒絕/IMSI 無效	26.7.4.2.1		
Location updating / rejected / PLMN not allowed 位置更新/拒絕/PLMN 不被許可	26.7.4.2.2		
Location updating / rejected / location area not allowed 位置更新/拒絕/漫游區域不被許可	26.7.4.2.3		
Location updating / rejected / roaming not allowed in this location area 位置更新/拒絕/漫游在該位置區域不被許可	26.7.4.2.4		
Location updating / abnormal cases / random access fails 位置更新/不正常狀況/隨機擷取失敗	26.7.4.3.1		
Location updating / abnormal cases / attempt counter less or equal to 4, LAI different 位置更新/不正常狀況/企圖上網計數≤4，不同LAI	26.7.4.3.2		
Location updating / abnormal cases / attempt counter equal to 4 位置更新/不正常狀況/企圖上網計數=4	26.7.4.3.3		
Location updating / abnormal cases / attempt counter less than or equal to 4, stored LAI equal to broadcast LAI 位置更新/不正常狀況/企圖上網計數≤4，儲存LAI 等於廣播LAI	26.7.4.3.4		
Location updating / release / expiry of T3240 位置更新/釋出頻道/T3240 過期	26.7.4.4		

Location updating / periodic spread 位置更新/週期式展開	26.7.4.5.1		
Location updating / periodic normal / test 1 位置更新/週期式正常/測試 1	26.7.4.5.2		
Location updating / periodic normal / test 2 位置更新/週期式正常/測試 2	26.7.4.5.3		
Location updating / periodic HPLMN search / MS waits time T 位置更新/週期式搜尋 HPLMN/MS 等待時間 T	26.7.4.5.4.1		
Location updating / periodic HPLMN search / MS in manual mode 位置更新/週期式搜尋 HPLMN/MS 手動模式	26.7.4.5.4.2		
Location updating / periodic HPLMN search / MS waits at least two minutes and at most T minutes 位置更新/週期式搜尋 HPLMN/MS 等待至少 2 分鐘並佔 T 分鐘大部份	26.7.4.5.4.3		
Location updating / interworking of attach and periodic 位置更新/附加及週期式互動工作	26.7.4.6		
MM connection / establishment with cipher MM 連線/以保密方式建立	26.7.5.2		
MM connection / establishment without cipher MM 連線/非以保密方式建立	26.7.5.3		
MM connection / establishment rejected MM 連線/建立被拒絕	26.7.5.4		
MM connection / establishment rejected cause 4 MM 連線/建立被拒絕原因 4	26.7.5.5		
MM connection / expiry T3230 MM 連線/T3230 過期	26.7.5.6		
MM connection / abortion by the network / cause #6 MM 連線/被網路拋棄/原因#6	26.7.5.7.1		
MM connection / abortion by the network / cause not equal to #6 MM 連線/被網路拋棄/原因不等於#6	26.7.5.7.2		
MM connection / follow-on request pending / test 1 MM 連線/後繼請求等候/測試 1	26.7.5.8.1		
MM connection / follow-on request pending / test 2 MM 連線/後繼請求等候/測試 2	26.7.5.8.2		
MM connection / follow-on request pending / test 3 MM 連線/後繼請求等候/測試 3	26.7.5.8.3		
<b>Tests related to circuit switched call control</b> <b>與電路交換通話控制之有關測試</b>			
Outgoing call / U0 null state / MM connection requested	26.8.1.2.1.1		

去話/U0 空態/MM 連線請求			
Outgoing call / U0.1 MM connection pending 去話/U0.1MM 連線等待	26.8.1.2.2.1		
Outgoing call / U0.1 MM connection pending / CM service accepted 去話/U0.1MM 連線等待/CM 服務接受	26.8.1.2.2.2		
Outgoing call / U0.1 MM connection pending / lower layer failure 去話/U0.1MM 連線等待/較低層訊號失敗	26.8.1.2.2.3		
Outgoing call / U1 call initiated / receiving CALL PROCEEDING 去話/U1 發話/接收 CALL PROCEEDING	26.8.1.2.3.1		
Outgoing call / U1 call initiated / rejecting with RELEASE COMPLETE 去話/U1 發話/拒絕含 RELEASE COMPLETE	26.8.1.2.3.2		
Outgoing call / U1 call initiated / T303 expiry 去話/U1 發話/T303 過期	26.8.1.2.3.3		
Outgoing call / U1 call initiated / lower layer failure 去話/U1 發話/較低層訊號失敗	26.8.1.2.3.4		
Outgoing call / U1 call initiated / receiving ALERTING 去話/U1 發話/接收 ALERTING	26.8.1.2.3.5		
Outgoing call / U1 call initiated / entering state U10 去話/U1 發話/輸入狀態 U10	26.8.1.2.3.6		
Outgoing call / U1 call initiated / unknown message received 去話/U1 發話/未知訊息接收	26.8.1.2.3.7		
Outgoing call / U3 MS originating call proceeding / ALERTING received 去話/ U3 MS 發話進行/ALERTING 接收	26.8.1.2.4.1		
Outgoing call / U3 MS originating call proceeding / CONNECT received 去話/ U3 MS 發話進行/ CONNECT 接收	26.8.1.2.4.2		
Outgoing call / U3 MS originating call proceeding / PROGRESS received without in band information 去話/ U3 MS 發話進行/ PROGRESS 接收，但無頻 帶內信息	26.8.1.2.4.3		
Outgoing call / U3 MS originating call proceeding / PROGRESS with in band information 去話/ U3 MS 發話進行/ PROGRESS 接收，但具頻 帶內信息	26.8.1.2.4.4		
Outgoing call / U3 MS originating call proceeding / DISCONNECT with in band tones 去話/ U3 MS 發話進行/ DISCONNECT 接收，但具 頻帶內音頻	26.8.1.2.4.5		
Outgoing call / U3 MS originating call proceeding / DISCONNECT without in band tones	26.8.1.2.4.6		

去話/ U3 MS 發話進行/ DISCONNECT 接收，但無頻帶內音頻			
Outgoing call / U3 MS originating call proceeding / RELEASE received 去話/ U3 MS 發話進行/ RELEASE 接收	26.8.1.2.4.7		
Outgoing call / U3 MS originating call proceeding / termination requested by user 去話/ U3 MS 發話進行/用戶通話請求結束	26.8.1.2.4.8		
Outgoing call / U3 MS originating call proceeding / traffic channel allocation 去話/ U3 MS 發話進行/話務頻道指配	26.8.1.2.4.9		
Outgoing call / U3 MS originating call proceeding / timer T310 time-out 去話/ U3 MS 發話進行/計時器 T310 暫停	26.8.1.2.4.10		
Outgoing call / U3 MS originating call proceeding / lower layer failure 去話/ U3 MS 發話進行/較低層訊號失敗	26.8.1.2.4.11		
Outgoing call / U3 MS originating call proceeding / unknown message received 去話/ U3 MS 發話進行/未知訊息接收	26.8.1.2.4.12		
Outgoing call / U3 MS originating call proceeding / internal alerting indication 去話/ U3 MS 發話進行/內部警告指示	26.8.1.2.4.13		
Outgoing call / U4 call delivered / CONNECT received 去話/ U4 通話傳送/ CONNECT 接收	26.8.1.2.5.1		
Outgoing call / U4 call delivered / termination requested by user 去話/ U4 通話傳送/用戶通話請求結束	26.8.1.2.5.2		
Outgoing call / U4 call delivered / DISCONNECT with in band tones 去話/ U4 通話傳送/ DISCONNECT DISCONNECT 接收，但具頻帶內音頻	26.8.1.2.5.3		
Outgoing call / U4 call delivered / DISCONNECT without in band tones 去話/ U4 通話傳送/ DISCONNECT DISCONNECT 接收，但無頻帶內音頻	26.8.1.2.5.4		
Outgoing call / U4 call delivered / RELEASE received 去話/ U4 通話傳送/ RELEASE 接收	26.8.1.2.5.5		
Outgoing call / U4 call delivered / lower layer failure 去話/ U4 通話傳送/較低層訊號失敗	26.8.1.2.5.6		
Outgoing call / U4 call delivered / traffic channel allocation 去話/ U4 通話傳送/話務頻道指配	26.8.1.2.5.7		
Outgoing call / U4 call delivered / unknown message received 去話/ U4 通話傳送/未知訊息接收	26.8.1.2.5.8		
U10 call active / termination requested by the user U10 通話進行/用戶通話請求結束	26.8.1.2.6.1		

U10 call active / RELEASE received U10 通話進行/ RELEASE 接收	26.8.1.2.6.2		
U10 call active / DISCONNECT with in band tones U10 通話進行/ DISCONNECT 接收，但具頻帶內音頻	26.8.1.2.6.3		
U10 call active / DISCONNECT without in band tones U10 通話進行/ DISCONNECT 接收，但無頻帶內音頻	26.8.1.2.6.4		
U10 call active / RELEASE COMPLETE received U10 通話進行/ RELEASE COMPLETE 接收	26.8.1.2.6.5		
U10 call active / SETUP received U10 通話進行/ SETUP 接收	26.8.1.2.6.6		
U11 disconnect request / clear collision U11 斷線請求/清除衝突	26.8.1.2.7.1		
U11 disconnect request / RELEASE received U11 斷線請求/ RELEASE 接收	26.8.1.2.7.2		
U11 disconnect request / timer T305 time-out U11 斷線請求/計時器 T305 暫停	26.8.1.2.6.3		
U11 disconnect request / lower layer failure U11 斷線請求/較低層訊號失敗	26.8.1.2.6.4		
U11 disconnect request / unknown message received U11 斷線請求/未知訊息接收	26.8.1.2.7.5		
U12 disconnect indication / call releasing requested by the user U12 斷線請求/用戶通話請求結束	26.8.1.2.8.1		
U12 disconnect indication / RELEASE received U12 斷線請求/ RELEASE 接收	26.8.1.2.8.2		
U12 disconnect indication / lower layer failure U12 斷線請求/較低層訊號失敗	26.8.1.2.8.3		
U12 disconnect indication / unknown message received U12 斷線請求/未知訊息接收	26.8.1.2.8.4		
Outgoing call / U19 release request / timer T308 time-out 去話/ U19 釋出請求/計時器 T308 暫停	26.8.1.2.9.1		
Outgoing call / U19 release request / 2 <sup>nd</sup> timer T308 time-out 去話/ U19 釋出請求/第 2 計時器 T308 暫停	26.8.1.2.9.2		
Outgoing call / U19 release request / RELEASE received 去話/ U19 釋出請求/ RELEASE 接收	26.8.1.2.9.3		
Outgoing call / U19 release request / RELEASE COMPLETE received 去話/ U19 釋出請求/ RELEASE COMPLETE 接收	26.8.1.2.9.4		
Outgoing call / U19 release request / lower layer failure 去話/ U19 釋出請求/較低層訊號失敗	26.8.1.2.9.5		
Incoming call / U0 null state / SETUP	26.8.1.3.1.1		

received with a non supported bearer capability 來話/U0 空態/ SETUP 接收具非支援承載能力			
Incoming call / U6 call present / automatic call rejection 來話/U6 通話出現/自動通話拒絕	26.8.1.3.2.1		
Incoming call / U9 mobile terminating confirmed / alerting or immediate connecting 來話/U9 行動結束確認/警告或立即連線	26.8.1.3.3.1		
Incoming call / U9 mobile terminating confirmed / TCH assignment 來話/U9 行動結束確認/TCH 指配	26.8.1.3.3.2		
Incoming call / U9 mobile terminating confirmed / termination requested by the user 來話/U9 行動結束確認/用戶通話請求結束	26.8.1.3.3.3		
Incoming call / U9 mobile terminating confirmed / DISCONNECT received 來話/U9 行動結束確認/ DISCONNECT 接收	26.8.1.3.3.4		
Incoming call / U9 mobile terminating confirmed / RELEASE received 來話/U9 行動結束確認/ RELEASE 接收	26.8.1.3.3.5		
Incoming call / U9 mobile terminating confirmed / lower layer failure 來話/U9 行動結束確認/較低層訊號失敗	26.8.1.3.3.6		
Incoming call / U9 mobile terminating confirmed / unknown message received 來話/U9 行動結束確認/未知訊息接收	26.8.1.3.3.7		
Incoming call / U7 call received / call accepted 來話/U7 行動結束確認/通話收到	26.8.1.3.4.1		
Incoming call / U7 call received / termination requested by the user 來話/U7 通話收到/用戶通話請求結束	26.8.1.3.4.2		
Incoming call / U7 call received / DISCONNECT received 來話/U7 通話收到/ DISCONNECT 接收	26.8.1.3.4.3		
Incoming call / U7 call received / RELEASE received 來話/U7 通話收到/ RELEASE 接收	26.8.1.3.4.4		
Incoming call / U7 call received / lower layer failure 來話/U7 通話收到/較低層訊號失敗	26.8.1.3.4.5		
Incoming call / U7 call received / unknown message received 來話/U7 通話收到/未知訊息接收	26.8.1.3.4.6		
Incoming call / U7 call received / TCH assignment 來話/U7 通話收到/TCH 指配	26.8.1.3.4.7		
Incoming call / U7 call received / RELEASE COMPLETE received 來話/U7 通話收到/ RELEASE COMPLETE 接收	26.8.1.3.4.8		

Incoming call / U8 connect request / CONNECT acknowledged 來話/U8 連線請求/ CONNECT 承認	26.8.1.3.5.1		
Incoming call / U8 connect request / timer T313 time-out 來話/U8 連線請求/計時器 T313 暫停	26.8.1.3.5.2		
Incoming call / U8 connect request / termination requested by the user 來話/U8 連線請求/用戶通話請求結束	26.8.1.3.5.3		
Incoming call / U8 connect request / DISCONNECT received with in-band information 來話/U8 連線請求/ DISCONNECT 接收，但具頻帶內音頻	26.8.1.3.5.4		
Incoming call / U8 connect request / DISCONNECT received without in-band information 來話/U8 連線請求/ DISCONNECT 接收，但無頻帶內音頻	26.8.1.3.5.5		
Incoming call / U8 connect request / RELEASE received 來話/U8 連線請求/ RELEASE 接收	26.8.1.3.5.6		
Incoming call / U8 connect request / lower layer failure 來話/U8 連線請求/較低層訊號失敗	26.8.1.3.5.7		
Incoming call / U8 connect request / TCH assignment 來話/U8 連線請求/TCH 指配	26.8.1.3.5.8		
Incoming call / U8 connect request / unknown message received 來話/U8 連線請求/未知訊息接收	26.8.1.3.5.9		
In-call functions / DTMF information transfer / basic procedures 通話中功能/DTMF 訊息移轉/基本程序	26.8.1.4.1.1		
In-call functions / User notification / MS terminated 通話中功能/用戶通知/MS 結束	26.8.1.4.2.1		
In-call functions / channel changes / a successful channel change in active state / Handover and Assignment Command 通話中功能/頻道改變/通話狀態中頻道成功變換/交遞及指派指令	26.8.1.4.3.1		
In-call functions / channel changes / an unsuccessful channel change in active mode / Handover and Assignment command 通話中功能/頻道改變/通話模式中頻道成功變換/交遞及指派指令	26.8.1.4.3.2		
In-call functions / MS terminated in-call modification / modify when new mode is not supported 通話中功能/MS 發話中修改/修改當新模式不支援	26.8.1.4.4.1		

In-call functions / MS originated in-call modification / a successful case of modifying 通話中功能/MS 發話中修改/假如在修改中	26.8.1.4.5.1		
In-call functions / MS originated in-call modification / modify rejected 通話中功能/MS 發話中修改/修改被拒絕	26.8.1.4.5.2		
In-call functions / MS originated in-call modification / an abnormal case of acceptance 通話中功能/MS 發話中修改/非正常之確認	26.8.1.4.5.3		
In-call functions / MS originated in-call modification / an abnormal case of rejection 通話中功能/MS 發話中修改/非正常之拒絕	26.8.1.4.5.4		
In-call functions / MS originated in-call modification / time-out of timer T323 通話中功能/MS 發話中修改/計時器T323 暫停	26.8.1.4.5.5		
In-call functions / MS originated in-call modification / a successful channel change in state mobile originating modify 通話中功能/MS 發話中修改/行動狀態中頻道成功變換發話修改	26.8.1.4.5.6		
In-call functions / MS originated in-call modification / an unsuccessful channel change in state mobile originating modify 通話中功能/MS 發話中修改/行動狀態中頻道未成功變換發話修改	26.8.1.4.5.7		
In-call functions / MS originated in-call modification / unknown message received 通話中功能/MS 發話中修改/未知訊息接收	26.8.1.4.5.8		
In-call functions / MS originated in-call modification / a release complete received 通話中功能/MS 發話中修改/釋出完全被接收	26.8.1.4.5.9		
Call Re-establishment / call present, re-establishment allowed 通話再建立/通話出現，再建立許可	26.8.2.1		
Call Re-establishment / call present, re-establishment not allowed 通話再建立/通話出現，再建立不許可	26.8.2.2		
Call Re-establishment / call under establishment, transmission stopped 通話再建立/通話建立中，傳送停止	26.8.2.3		
User to user signalling 用戶對用戶信令	26.8.3		
<b>Structured Procedures</b> <b>結構化程序</b>			
Structured procedures / MS originated call / early assignment 結構化程序/MS 發話/及早指配	26.9.2		
Structured procedures / MS originated call / late assignment 結構化程序/MS 發話/較晚指配	26.9.3		

Structured procedures / MS terminated call / early assignment 結構化程序/MS 結束通話/及早指配	26.9.4		
Structured procedures / MS terminated call / late assignment 結構化程序/MS 結束通話/較晚指配	26.9.5		
Structured procedures / emergency call / idle updated / preferred channel rate 結構化程序/緊急通知/空閒更新/較喜歡之頻道速率	26.9.6.1.1		
Structured procedures / emergency call / idle, no IMSI / accept case 結構化程序/緊急通知/空閒，無 IMSI/接受狀況	26.9.6.2.1		
Structured procedures / emergency call / idle, no IMSI / reject case 結構化程序/緊急通知/空閒，無 IMSI/拒絕狀況	26.9.6.2.2		
<b>Multiband Signalling</b> <b>多頻帶信令</b>			
Multiband signalling / RR / Immediate assignment procedure 多頻帶信令/RR/立即指配程序	26.11.2.1		
Multiband signalling / RR / Handover / successful / active call / non-synchronized 多頻帶信令/RR/交遞/成功/執行通話/非同步	26.11.2.2.1		
Multiband signalling / RR / Handover / layer 1 failure 多頻帶信令/RR/交遞/第 1 層訊息失敗	26.11.2.2.2		
Multiband signalling / RR / Measurement reporting 多頻帶信令/RR/量測報告	26.11.2.3		
Location updating / accepted 位置更新/接受	26.11.3.1.1		
Location updating / periodic 位置更新/週期式	26.11.3.1.2		
Multiband signalling / Structured procedures / MS originated call / early assignment 多頻帶信令/結構化程序/MS 發話/及早指配	26.11.5.1		
Structured procedures / MS terminated call / late assignment 多頻帶信令/結構化程序/MS 發話/較晚指配	26.11.5.2		

<b>Testing of the SIM/ME interface</b> <b>SIM/ME 之界面測試</b>			
MS identification by short IMSI - Normal case MS 確認經由短 IMSI-Normal case	27.1.1		
MS identification by short IMSI - Phase 1 DCS SIM MS 確認經由短 IMSI -Phase 1 DCS SIM	27.1.2		
MS identification by short TMSI MS 確認經由短 TMSI	27.2		

MS identification by long TMSI MS 確認經由長 TMSI	27.3		
MS identification by long IMSI, TMSI updating and cipher key sequence number assignment MS 確認經由長 IMSI，TMSI 更新及保密鍵連續碼指配	27.4		
Forbidden PLMNs, location updating and undefined cipher key 禁用 PLMNs，位置更新及未定義保密鍵	27.5		
MS updating forbidden PLMNs MS 更新禁用之 PLMNs	27.6		
MS deleting forbidden PLMNs MS 消除禁用之 PLMNs	27.7		
MS updating the PLMN selector list MS 更新PLMNs 選擇表	27.8		
MS recognizing the priority order of the PLMN selector list MS 確認 PLMNs 選擇表優先順序	27.9		
MS access control management MS 摷取控制管理	27.10		
Bit/character duration during the transmission from the ME to the SIM ME 至 SIM 傳輸時位元/字長度	27.11.1.1		
Bit/character duration during the transmission from the SIM simulator to the ME SIM 模擬器至 ME 傳輸時位元/字長度	27.11.1.2		
Inter-character delay 字間延遲	27.11.1.3		
Error handling during the transmission from the ME to the SIM simulator ME 至 SIM 模擬器傳輸時失誤處理	27.11.1.4		
Error handling during the transmission from the SIM simulator to the ME SIM 模擬器至 ME 傳輸時失誤處理	27.11.1.5		
Acceptance of SIMs with internal RST SIMs 含內部 RST 之確認	27.11.2.1		
Acceptance of SIMs with active low RST SIMs 含進行低 RST 之確認	27.11.2.2		
Characters of the answer to reset 回答至重新設定之字數	27.11.2.3		
PTS procedure PTS 步驟	27.11.2.4		
Reset repetition 重做重新設定	27.11.2.5		
Command processing, procedure bytes 下指令程序，步驟字元	27.11.3		
Operating speed in authentication procedure 確認步驟之操作速度	27.12.1		
Clock stop 時鐘停止	27.12.2		

Contact pressure 接觸壓力	27.13.1		
Shape of contacts for IC card SIM card reader IC 卡 SIM 卡閱讀機接觸形式	27.13.2		
Entry of PIN PIN 之輸入	27.14.1		
Change of PIN PIN 之變更	27.14.2		
Disabling the PIN PIN 功能取消	27.14.3		
PUK entry PUK 輸入	27.14.4		
Entry of PIN2 PIN2 之輸入	27.14.5		
Change of PIN2 PIN2 之變更	27.14.6		
PUK2 entry PUK2 輸入	27.14.7		
Abbreviated Dialling Numbers 簡化撥碼	27.15		
MMI reaction to SIM status encoding MM 對 SIM 狀態編碼之反應	27.16		
Phase preceding ME power on 相位在 ME 開機	27.17.1.1		
Phase during SIM power on 相位在 SIM 開機	27.17.1.2		
Phase during ME power off with clock stop forbidden 相位在 ME 關機中且禁止時鐘停止	27.17.1.3		
Phase during ME power off with clock stop allowed 相位在 ME 關機中且許可時鐘停止	27.17.1.4		
Reaction of 3V only MEs on SIM type recognition failure 3V 的反應，僅 MEs 在 SIM 型式確認失敗	27.17.1.5.1		
Reaction of 3V only MEs on type recognition of 5V only SIMs 3V 的反應，僅 MEs 在僅 SIMs 5V 的型式確認	27.17.1.5.2		
Reaction of 3V technology MEs on type recognition of 5V only SIMs 3V 技術的反應，僅 MEs 在僅 SIMs 5V 的型式確認	27.17.1.5.3		
Reaction of 3V technology MEs on type recognition of 3V technology SIMs 3V 技術的反應，在 SIMs 3V 技術的型式確認	27.17.1.5.4		
Electrical tests on contact C1, Test 1 電氣測試在接觸 C1，測試 1	27.17.2.1.1		
Electrical tests on contact C1, Test 2 電氣測試在接觸 C1，測試 2	27.17.2.1.2		
Electrical tests on contact C2 電氣測試在接觸 C2	27.17.2.2		
Electrical tests on contact C3 電氣測試在接觸 C3	27.17.2.3		

Electrical tests on contact C7 電氣測試在接觸 C7	27.17.2.5		
ME and SIM with FND activated ME 及 SIM 含 FND 啓用	27.18.1		
ME and SIM with FND deactivated ME 及 SIM 含 FND 停用	27.18.2		
Enabling, disabling and updating of FND FND 可動作，不能動作及更新	27.18.3		
Phase identification 相位確認	27.19		
SIM presence detection SIM 出現偵測	27.20		
AoC not supported by SIM AoC 非由 SIM 支援	27.21.1		
Maximum frequency of ACM updating ACM 更新的最大頻率	27.21.2		
Call terminated when ACM greater than ACMmax 通話結束當 ACM 大於 ACMmax	27.21.3		
Response codes of increase command 增加指令的回應碼	27.21.4		

Tests of autocalling restrictions 自動發話限制之測試			
Constraining the access to a single number (GM 02.27 category 3) 限制擷取單一號碼	28.2		
Constraining the access to a single number (GSM 02.07 categories 1 and 2) 限制擷取單一號碼	28.3		
Behaviour of the MS when its list of blacklisted numbers is full 當 MS 之黑名單表滿檔時的行為	28.4		

Tests of bearer services 承載服務之測試			
Verification of synchronization 同步確認	29.2.1		
Filtering of channel control information for transparent BCs 為 BCs 透明之頻道控制信息之過濾	29.2.2		
Negotiation of Radio Channel Requirement (RCR) 射頻頻道(RCR)需求之協商	29.2.3.1		
Negotiation of Connection Element (CE) 連結元件(CE)之協商	29.2.3.2		
Negotiation of Number of Stop Bits, Number of Data bits, and Parity 截止位元數，數據位元數及比對之協商	29.2.3.3		
Negotiation of Modem Type 數據機型式之協商	29.2.3.4		

Negotiation of Intermediate Rate 中間速率之協商	29.2.3.5		
Negotiation of User Information Layer 2 Protocol 用戶信息第 2 層信令之協商	29.2.3.6		
Negotiation between TS 61 and TS 62: Mobile Originated call. TS61 及 TS62 之間協商： 行動發話	29.2.3.7		
Negotiation between TS 61 and TS 62: Mobile Terminated call. TS61 及 TS62 之間協商： 行動結束通話	29.2.3.8		
Data Rate Adaptation for Synchronous Transparent Bearer Capabilities 數據速率採用為同步透明承載能力	29.2.4		
Data Rate Adaptation 數據速率之採用	29.2.6.1		
Passage of the Break Signal 中止信號之通道	29.2.6.2		
Overspeed/Underspeed Handling (Local Terminal) 超速/低速之處理 (本地終端設備)	29.2.6.3		
Overspeed/Underspeed Handling (Remote Terminal) 超速/低速之處理 (遠距終端設備)	29.2.6.4		
Interchange circuit mapping for transparent bearer capabilities 互換電路映射給透明承載能力	29.2.7		
Normal initialization done by the MS 由 MS 完成標稱初始化	29.3.1.1		
Loss of UA frame UA 訊框之遺失	29.3.1.2.1		
Total loss of UA frame UA 訊框之總遺失	29.3.1.2.2		
N(S) sequence number N(S)連續號碼	29.3.2.2.1		
Transmission window 傳輸視窗	29.3.2.2.2		
Busy condition 忙線狀況	29.3.2.2.3		
N(R) sequence number N(R)連續號碼	29.3.2.3.1		
Busy condition 忙線狀況	29.3.2.3.2		
REJ Frame RE 訊框	29.3.2.4.1		
SREJ Frame SREJ 訊框	29.3.2.4.2		
I+S reject frame	29.3.2.4.3		

I+S 拒絕訊框			
Rejection with REJ or SREJ supervisory frames 拒絕含 REJ 或 SREJ 監視訊框	29.3.2.5.1		
Retransmission of REJ or SREJ frames REJ 或 SREJ 訊框的再傳輸	29.3.2.5.2		
I+S reject frame I+S 拒絕訊框	29.3.2.5.3		
SS in checkpoint recovery mode SS 在檢查點恢復模式	29.3.2.6.1		
End of the window 視窗之最後畫面	29.3.2.6.2		
End of a sequence 連續之末端	29.3.2.6.3		
Time-out of one frame 一個訊框之暫停	29.3.2.6.4		
No response to checkpointing 對檢查點無回應	29.3.2.6.5		
Incorrect response to checkpointing 對檢查點非正確回應	29.3.2.6.6		
Total loss of response to checkpointing 對檢查點回應總遺失	29.3.2.6.7		
Retransmission of a sequence 一個連續的再傳輸	29.3.2.6.8		
N2 retransmission of a sequence 一個連續的 N2 再傳輸	29.3.2.6.9		
Negotiation initiated by the SS 由 SS 協商初始化	29.3.3.1		
Negotiation initiated by the MS 由 MS 協商初始化	29.3.3.2		
Collision of XID frames XID 訊框之衝突	29.3.3.3		
Loss of XID frames XID 訊框之遺失	29.3.3.4		
Total loss of XID frames XID 訊框之總遺失	29.3.3.5		
Mobile originated call, Call establishment procedure, Alternate speech / facsimile 行動發話，通話建立程序，其它語音/傳真	29.4.2.1.1		
Mobile originated call, Call establishment procedure, Automatic facsimile 行動發話，通話建立程序，自動傳真	29.4.2.1.2		
Pre-message procedure 前訊息程序	29.4.2.2		
Message procedure 訊息程序	29.4.2.3		
Post-message procedure 後訊息程序	29.4.2.4		
Call release procedure 通話釋出頻道程序	29.4.2.5		
CTC processing - 4 <sup>th</sup> PPR for the same block CTC 步驟-4 <sup>th</sup> PPR 對相同區塊	29.4.2.6		

Transition from Facsimile to Speech - Procedure interrupt generated by receiving station 由傳真至語音轉換-由接收台產生程序打斷	29.4.2.7		
Transition from Facsimile to Speech - Procedure interrupt generated by transmitting station 由傳真至語音轉換-由發射台產生程序打斷	29.4.2.8		
Quality check 品質檢驗	29.4.2.9		
Mobile terminated call, Call Establishment Procedure, Alternate Speech/Facsimile, DCD Mobile Terminated 行動結束通話，通話建立程序，其它語音/傳真，DCD 行動結束	29.4.3.1.1.1		
Mobile terminated call, Call establishment Procedure, Alternate Speech/Facsimile DCD mobile originated 行動結束通話，通話建立程序，其它語音/傳真，DCD 行動發話	29.4.3.1.1.3		
Mobile terminated call, Call Establishment Procedure, Automatic Facsimile 行動結束通話，通話建立程序，自動傳真	29.4.3.1.2		
Pre-message procedure 前訊息程序	29.4.3.2		
Message Procedure 訊息程序	29.4.3.3		
Post-message procedure 後訊息程序	29.4.3.4		
Call release procedure 通話釋出頻道程序	29.4.3.5		
Speed conversion factor 速率轉換因素	29.4.3.6		

Speech Teleservices 語音遠端服務			
Sending sensitivity/frequency response 傳送靈敏度/頻率響應	30.1		
Sending loudness rating 傳送音量級別	30.2		
Receiving sensitivity/frequency response 接收靈敏度/頻率響應	30.3		
Receiving loudness rating 接收音量級別	30.4		
Side Tone Masking Rating (STMR) 側音遮蓋率(STMR)	30.5.1		
Listener Side Tone Rating (LSTR) 聽筒側音級別(LSTR)	30.5.2		
Echo Loss (EL) 回音損失(EL)	30.6.1		
Stability margin	30.6.2		

穩定度邊界			
Distortion, Sending 失真，傳送	30.7.1		
Distortion, Receiving 失真，接收	30.7.2		
Sidetone Distortion 側音失真	30.8		
Out-of-band signals, Sending 頻帶外信號，傳送	30.9.1		
Out-of-band signals, Receiving 頻帶外信號，接收	30.9.2		
Idle channel noise, Sending 空閒頻道雜訊，傳送	30.10.1		
Idle channel noise, Receiving 空閒頻道雜訊，接收	30.10.2		

Test of Supplementary services 補充服務之測試			
Call forwarding supplementary services, Registration accepted 指定轉接補充服務，註冊接受	31.2.1.1.1		
Call forwarding supplementary services, Registration rejected 指定轉接補充服務，註冊拒絕	31.2.1.1.2		
Call forwarding supplementary services, Erasure accepted 指定轉接補充服務，消除接受	31.2.1.2.1		
Call forwarding supplementary services, Erasure rejected 指定轉接補充服務，消除拒絕	31.2.1.2.2		
Call forwarding supplementary services, Activation 指定轉接補充服務，執行	31.2.1.3		
Call forwarding supplementary services, Deactivation 指定轉接補充服務，停止執行	31.2.1.4		
Call forwarding supplementary services, interrogation accepted 指定轉接補充服務，疑問接受	31.2.1.6.1		
Call forwarding supplementary services, Interrogation rejected 指定轉接補充服務，疑問拒絕	31.2.1.6.2		
Call forwarding supplementary services, Notification during an incoming call 指定轉接補充服務，來話中通知	31.2.1.7.1.1		
Call forwarding supplementary services, Notification during an outgoing call 指定轉接補充服務，發話中通知	31.2.1.7.1.2		
Call forwarding supplementary services, Forwarded-to mobile subscriber side 指定轉接補充服務，指定轉接至行動用戶端	31.2.1.7.2		

AOC time related charging / MS originated call AOC 時間有關充電/MS 發話	31.6.1.1		
AOC time related charging / MS terminated call AOC 時間有關充電/MS 結束通話	31.6.1.2		
Change in charging information during a call 通話中改變充電信息	31.6.1.5		
Different formats of charging information 充電信息之不同格式	31.6.1.6		
AOC on a Call Hold Call AOC 在話中插接	31.6.1.7		
AOC on a Multi-party call AOC 在多方通話中	31.6.1.8		
Removal of SIM during an active call 在進行通話中移除 SIM	31.6.2.1		
Interruption of power supply during an active call 在進行通話中打斷供電狀態	31.6.2.2		
MS going out of coverage during an active AOCC call 再進行 AOCC 通話時 MS 逐漸離開覆蓋區域	31.6.2.3		
ACMmax operation / Mobile Origination ACMmax 操作/行動發話	31.6.2.4		
ACMmax operation / Mobile Terminating ACMmax 操作/行動結束通話	31.6.2.5		
Registration of a password 密碼註冊	31.8.1		
Registration accepted 註冊被接受	31.8.1.1		
Rejection after invoke of the Register Password operation 註冊密碼操作之保護後拒絕	31.8.1.2.1		
Rejection after password check with negative result 密碼檢查為負面結果後拒絕	31.8.1.2.2		
Rejection after new password mismatch 新密碼不符後拒絕	31.8.1.2.3		
Activation accepted 開始通話被接受	31.8.3.1		
Rejection after invoke of Activate SS operation 開始 SS 操作保護後拒絕	31.8.3.2.1		
Deactivation accepted 停止操作被接受	31.8.4.1		
Rejection after invoke of Deactivate SS operation 停止 SS 操作保護後拒絕	31.8.4.2.1		
Rejection after use of Password procedure 密碼程序使用後拒絕	31.8.4.2.2		
Interrogation accepted 疑問被接受	31.8.6.1		

Interrogation rejected 疑問被拒絕	31.8.6.2		
Normal operation 正常操作	31.8.7		
Process Unstructured SS-request/accepted 非結構化步驟 SS-請求/接受	31.9.1.1		
Process Unstructured SS-request/cross phase compatibility and error handling 非結構化步驟 SS-請求/跨相位相容及失誤處理	31.9.1.2		
Unstructured SS-Notify/accepted 非結構化 SS-通知/接受	31.9.2.1		
Unstructured SS-Notify/rejected on user busy 非結構化 SS-通知/拒絕當用戶忙線	31.9.2.2		
Unstructured SS-Request/accepted 非結構化 SS-請求/接受	31.9.2.3		
Unstructured SS-Request/rejected on user busy 非結構化 SS-請求/拒絕當用戶忙線	31.9.2.4		
MMI input for USSD MMI 輸入給 USSD	31.10		

Testing of speech transcoding functions 語音轉碼功能測試			
Full Rate Downlink speech transcoding 全速率下鏈語音轉碼	32.1		
Full Rate Downlink receiver DTX functions 全速率下鏈接收機 DTX 功能	32.2		
Full Rate Uplink speech transcoding 全速率上鏈語音轉碼	32.3		
Full Rate Uplink transmitter DTX functions 全速率上鏈發射機 DTX 功能	32.4		
Full Rate Speech channel transmission delay 全速率語音頻道傳輸延遲	32.5		
Downlink processing delay 下鏈處理延遲	32.5.4		
Downlink coding delay 下鏈編碼延遲	32.5.5		
Uplink processing delay 上鏈處理延遲	32.5.6		
Uplink coding delay 上鏈編碼延遲	32.5.7		
Half Rate Downlink speech transcoding 半速率下鏈語音轉碼	32.6		
Half Rate Downlink receiver DTX functions 半速率下鏈接收機 DTX 功能	32.7		
Half Rate Uplink speech transcoding 半速率上鏈語音轉碼	32.8		
Half Rate Uplink speech transmitter DTX functions 半速率上鏈發射機 DTX 功能	32.9		

Half Rate Speech channel transmission delay 半速率語音頻道傳輸延遲	32.10		
Downlink processing delay 下鏈處理延遲	32.10.4		
Downlink coding delay 下鏈編碼延遲	32.10.5		
Uplink processing delay 上鏈處理延遲	32.10.6		
Uplink coding delay 上鏈編碼延遲	32.10.7		
Intra cell channel change from a TCH/HS to a TCH/FS 跨細胞頻道變換由 TCH/HS 至 TCH/FS	32.11		
Intra cell channel change from a TCH/FS to a TCH/HS 跨細胞頻道變換由 TCH/FS 至 TCH/HS	32.12		

Mobile Station Features 行動臺功能			
Entry and display of called number 鍵入及顯示對方號碼	33.1		
Ringing tone 振鈴音	33.2.4		
Busy tone 忙線音	33.2.5		
Congestion tone 阻塞音	33.2.6		
Authentication failure tone 辨識失敗音	33.2.7		
Number uinobtainable tone 號碼得不到音	33.2.8		
Call dropped tone 斷語音	33.2.9		
Network selection / indication 網路選擇/指示	33.3		
Invalid and blocked PIN indicators 無效及 PIN 鎖碼指示	33.4		
Service indicator 服務指示	33.5		
Subscription identify management 用戶首次開機確認管理	33.6		
Barring of outgoing calls 發話禁止	33.7		
Prevention of unauthorised calls 非授權通話之預防	33.8		

Short Message Service (SMS) 短訊服務			
SMS mobile terminated SMS 行動結束	34.2.1		

SMS mobile originated SMS 行動開始	34.2.2		
Test of memory full condition and memory available notification: 記憶完整狀況及記憶有效通知之測試	34.2.3		
Test of the status report capabilities and of SMS-Command: 狀態報告能力及 SMS 指令之測試	34.2.4		
Short message class 0 短訊級別 0	34.2.5.1		
Test of class 1 short messages 短訊級別 1 之測試	34.2.5.2		
Test of class 2 short messages 短訊級別 2 之測試	34.2.5.3		
Test of the replace mechanism for SM type 1-7 SM 型式 1-7 替代機構之測試	34.2.7		
Test of the reply path scheme 回應路徑表之測試	34.2.8		
Short message service cell broadcast 短訊服務細胞廣播	34.3		
Low battery voltage detection 電池低電壓偵測	35		

Testing of GPRS and End-to-End Capabilities GPRS 及端點對端點能力偵測			
檢驗項目	參照 TR101 186 V6.0.0 (1998-04)	測試結果 符合與否 (Yes/No)	備註
X.25 QoS Requirement X.25 QoS 要求	3.3.1.1		
CLNS QoS Requirement CLNS QoS 要求	3.3.1.2		
IP QoS Requirement IP QoS 要求	3.3.1.3		
Maximum Service Delay 最大服務延遲	3.3.2		